

# Programming in C++

---

<https://fan1x.github.io/cpp21.html>  
[tomas.faltin@matfyz.cuni.cz](mailto:tomas.faltin@matfyz.cuni.cz)

# Programming in C++ - lab 6

---

<https://fan1x.github.io/cpp21.html>  
[tomas.faltin@matfyz.cuni.cz](mailto:tomas.faltin@matfyz.cuni.cz)

# Reminder

---


- Two large homeworks in ReCodex (total 40 points)
  - Points are included in the final score from the course
  - Smaller HW – 15 points, assigned 15/11
  - Larger HW – 25 points, ~December
- Software project
  - Topic must be approved by 27/11/2022
  - POC: 18/12/2022
  - First submission: 02/04/2023
  - Final submission: 28/05/2023

# Homework1 Solution

---

# Returning A (Const) Reference

- To give an access to data inside an object
  - E.g., getters, operator=(), ...
- The returned data lives even after end of the function



# Returning A (Const) Reference - Example

---

```
class complex_double {
    double im;
    double re;
public:
    explicit complex_double(double re, double im = 0.0) {
        this->im = im;
        this->re = re;
    }

    double &real_part() {
        return re;
    }
    double real_part() const {
        return re;
    }

    double &imaginary_part() {
        return im;
    }
    double imaginary_part() const {
        return im;
    }
};
```

```
int main() {
    complex_double cd(1, 2);
    cout << '{' << cd.real_part()
        << ',' << cd.imaginary_part() << '}' << endl;

    cd.imaginary_part() = 0;
    cout << '{' << cd.real_part()
        << ',' << cd.imaginary_part() << '}' << endl;
}
```

# Containers

---

- **std::vector<Type>** - dynamic array
  - `my_vec[idx] = value, push_back(), ...`
- **std::array<Type, Size>** - fixed size array
  - `my_array[idx] = value, ...`
- **std::deque<Type>** - double ended dynamic queue/array
  - `push_back(), push_front(), back(), front(), ...`
- **std::list<Type>** - linked list
- **std::map<Key, Value>, std::unordered\_map<Key, Value>** - map
  - `my_map[key] = value, find(), insert(), ...`
- **std::set<Key>, std::unordered\_set<Key>** - set
  - `contains(), insert(), find(), ...`

# Homework1: Dictionary

---

```
// An example of API
class Dictionary {

    // Insert a new language and returns its ID
    size_t add_language(const string &name);

    // Insert new words into a dictionary
    bool add_vocabulary(size_t words1_language_id, const string &word1,
        size_t words2_language_id, const string &word2);

    // Translate a given text with the given language into the output language
    string translate(size_t input_language_id, const string &text,
        size_t output_language_id) const;

    // Automatically translate a given text into a given language
    string translate(const string &text, size_t output_language_id) const;

    // Return all vocabularies for a given language
    const vector<string> &all_vocabulary(size_t language_id) const;
};
```

# Homework2: Simple People Database

---

- In Recodex: <https://recodex.mff.cuni.cz/>
- Deadline: Monday 13:00
- **NOT** the official large homework
  - Just to test your knowledge and the access to the ReCodex

# Programming in C++ - lab 5

---

<https://fan1x.github.io/cpp21.html>  
[tomas.faltin@matfyz.cuni.cz](mailto:tomas.faltin@matfyz.cuni.cz)

# Reminder

---

- Two large homeworks in ReCodex (total 40 points)
  - Points are included in the final score from the course
  - Smaller HW – 15 points, ~November
  - Larger HW – 25 points, ~December
- Software project
  - Topic must be approved by 27/11/2022
  - POC: 18/12/2022
  - First submission: 02/04/2023
  - Final submission: 28/05/2023

# Homework1 Solution

---

# Declaration/Definition

---

```
// file: my_class.hpp

#ifndef MY_CLASS_HPP
#define MY_CLASS_HPP

void fn(int x);

class my_class {
public:
    my_class();
    int exec(int x);

private:
    double d;
    static size_t i;
};

#endif // MY_CLASS_HPP
```

```
// file: my_class.cpp

#include "my_class.hpp"
#include <iostream>

void fn(int x) {
    cout << "fn()";
}

my_class::my_class() : d(1.0) {
    cout << "ctor";
}

int my_class::exec(int x) {
    for(int i=0; i < x; ++i) { ... }
}

size_t my_class::i = 0;
```

# Declaration/Definition

```
// file: my_class.hpp
```

```
#ifndef MY_CLASS_HPP
#define MY_CLASS_HPP

void fn(int x);

class my_class {
public:
    my_class();
    int exec(int x);

private:           declarations
    double d;
    static size_t i;
};

#endif // MY_CLASS_HPP
```

guards

```
// file: my_class.cpp
```

```
#include "my_class.hpp"
#include <iostream>

void fn(int x) {
    cout << "fn()";
}

my_class::my_class() : d(1.0) {
    cout << "ctor";
}

int my_class::exec(int x) {
    for(int i=0; i < x; ++i) { ... }
}

size_t my_class::i = 0;
```

#include  
header

definitions

# Homework1: Summing Program

- Implement special methods only
  - ctors, dtor, operators, ...
- You can add  $O(1)$  attributes into C
  - E.g., cannot add a vector
- Use C::print() for printing
  - Cannot use anything else for printing
- Example (
  - Input: 5 7
  - Output: Summing numbers:  
5  
6  
7

Preparing...  
Sum of the numbers:

18

```
class C {  
    /* CAN ADD MORE ATTRIBUTES */  
    const int value;  
    /* USE THIS FUNCTION FOR PRINTING */  
    void print() const {  
        cout << value << "\n";  
    }  
  
public:  
    /* IMPLEMENT SPECIAL METHODS ONLY */  
};  
  
class D {  
    std::vector<C> cs;  
    /* CANNOT ADD MORE ATTRIBUTES */  
public:  
    /* IMPLEMENT SPECIAL METHODS ONLY */  
};  
  
int main(int argc, char *argv[]) {  
    int first, last;  
    cin >> first >> last;  
    cout << "Summing numbers:\n";  
    D d(first, last); // prints number first, first+1, ..., last  
    cout << "Preparing...\n";  
    D d2 = d;  
    cout << "Sum of the numbers:\n";  
    d2 = d; // prints sum of numbers first..last  
}
```

# Homework2: Piškvorky for 2 players

---

- For 2 players only
  - Set the names at the beginning
- Game ends when one of the player has 5 in a row
  - Write who is the winner
- Validate user inputs

# Programming in C++ - lab 4

---

<https://fan1x.github.io/cpp21.html>  
[tomas.faltin@matfyz.cuni.cz](mailto:tomas.faltin@matfyz.cuni.cz)

# Homework Feedback

---

- Use `const` functions for read-only functions
  - `print()` `const`, `get_matrix()` `const`, `get_vector()` `const`
- Use `class` or `using` to create new types
  - Decomposition!
  - `using` can be anywhere (inside the class as well)

# Argument Passing - Recap

---

- By copy/value
  - `int max(int x, int y);`
- By const-reference:
  - `Matrix sum(const Matrix &m1, const Matrix &m2);`
- By reference
  - `void find_zero_matrix(const vector<Matrix> &ms,  
 Matrix &zero_matrix);`

# Argument Passing – By R-value Reference (&&)

---

- To transfer an ownership
- **Moves** the object into a function
  - the object no longer lives outside the function
- Typical usage
  - a single owner (`std::unique_ptr`)
  - moving large objects
- Use `std::move()` on the caller side

```
vector<unique_ptr<int>>::push_back(unique_ptr<int> &&new_obj);  
vector<unique_ptr<int>> vector_of_ints;  
vector_of_ints.push_back(move(make_unique<int>(x));
```

# Static With Classes

---

- Attribute/method belongs to a class (not an object-instance)
- Need to share attribute/method among the objects/instances
- Most things belong to an object

```
class Verbose {} // class

int main()
{
    Verbose v1; // object-instance
    Verbose v2(2); // object-instance
}
```

# Static With Class

```
class CountingClass {
    static size_t num_instances;

    static void inc_num_instances() {
        ++num_instances;
    }

    static void dec_num_instances() {
        --num_instances;
    }

public:
    static bool has_instance() {
        return num_instances > 0;
    }

    static size_t get_num_instances() {
        return num_instances;
    }

    CountingClass() { inc_num_instances(); }

    CountingClass(const CountingClass &)
        inc_num_instances();
    }

    ~CountingClass() { dec_num_instances(); }
};
```

```
size_t CountingClass::num_instances = 0;

void f() {
    cout << CountingClass::get_num_instances() << endl; // 0
    CountingClass cc1;
    cout << CountingClass::get_num_instances() << endl; // 1
    CountingClass cc2 = cc1;
    cout << CountingClass::get_num_instances() << endl; // 2
    std::vector<CountingClass> ccs(10);
    cout << CountingClass::get_num_instances() << endl; // 12
}

int main() {
    cout << CountingClass::get_num_instances() << endl; // 0
    f();
    cout << CountingClass::get_num_instances() << endl; // 0
}
```

# Special Methods In Classes

```
class Verbose {
    int x;
public:
    Verbose() {
        cout << "default ctor\n";
        this->x = 1;
    }

    Verbose(const Verbose &v) {
        cout << "copy ctor\n";
        this->x = v.x;
    }

    Verbose(Verbose &&v) {
        cout << "move ctor\n";
        this->x = v.x;
        v.x = 0;
    }

    ~Verbose() {
        cout << "dtor\n";
    }

    Verbose(int x) {
        cout << "user ctor\n";
        this->x = x;
    }
}
```

```
Verbose &operator=(const Verbose &v) {
    cout << "copy assignment\n";
    this->x = v.x;
    return *this;
}

Verbose &operator=(Verbose &&v) {
    cout << "move assignment\n";
    this->x = v.x;
    return *this;
};

int main()
{
    Verbose v1; // default ctor
    Verbose v2(2); // user ctor
    Verbose v3{3}; // user ctor
    Verbose v4(v2); // copy ctor
    Verbose v5 = v3; // copy ctor
    Verbose v6(std::move(v1)); // move ctor
    Verbose v7 = std::move(v4); // move ctor
    v1 = v2; // copy assignment
    v2 = std::move(v3); // move assignment
} // Calls destructors
```

# Homework1: Implement class C

---

- Finish program so it writes: 1, 2, 3, ..., 16
- Touch **only** class C, nothing else
  - Nothing can be into main() or fn\_XXX()
- Don't use exit(), break, goto, ...
- Hint: which methods are called?

```
class C { /* implement me */ };

// Don't touch anything below!!!
void fn_copy(C) {}
void fn_cref(const C&) {}
void fn_rref(C&&) {}

int main(int argc, char* argv[])
{
    cout << "1\n";
    C c1;
    cout << "3\n";
    C c2(c1);
    cout << "5\n";
    C c3 = c2;
    cout << "7\n";
    fn_copy(c1);
    cout << "9\n";
    fn_cref(c1);
    fn_copy(std::move(c1));
    fn_rref(std::move(c2));
    cout << "11\n";
    c3 = c2;
    cout << "13\n";
    c2 = std::move(c1);
    cout << "15\n";
}
```

# Homework2: Finish 3DMatrix For Integers

---

- Correct all issues in the previous HW
- Implement correctly all special methods
- Show usage/test

# Programming in C++ - lab 3

---

<https://fan1x.github.io/cpp21.html>  
[tomas.faltin@matfyz.cuni.cz](mailto:tomas.faltin@matfyz.cuni.cz)

# Down to operator

---

```
void op_downto(int x) {  
    while (x --> 0) {  
        cout << x;  
    }  
}  
  
op_downto(10); // prints 9,8,7,...,1,0
```

# Homework Feedback

---

- Use `const &` for large objects
- Only source codes and project/config files to GIT
  - No binaries (they can be compiled from the source codes)
- Use STL functions
  - `isdigit()`, `stoi()`, ...
- Prefer C++ strings to C-style strings
  - `std::string`, `std::string_view`

# Class/Struct - Recap

---

- Put all related things (data, functions) together
- No real difference except for default visibility, inheritance, ...
  - `class` – by default everything **private**
  - `struct` – by default everything **public**
- Internal things → **private**
  - **protected** if need access from a child
- Read-only functions → **const**
  - const-correctness
- Special methods (**constructor**, destructor, ...)

# Defining your own types - using

---

- Use `using` (or `typedef` in old C/C++)
- Can be used together with templates (later)

```
using my_int = int;
using int_pair_t = std::pair<my_int, my_int>;
using my_string = std::vector<char>;
using int_vector_t = std::vector<int>;  
  
my_int x = 3;
int_pair_t p{10, 20};
my_string str = {'a', 'b', 'c'};
int_vector_t vi(10, 0);
```

# Constant values – constexpr/const

---

- Read only value that cannot be changed
- Naming values in code
  - ~ Every number in the code should be a named constant
- **constexpr** – constant value (potentially) evaluated in the compile time
  - Can be used as arguments to templates
- **const** – constant value
- Both can be used together with **static** (later)

```
constexpr double PI = 3.14;  
constexpr size_t MAX_SIZE = 16 * 1024 * 1024;
```

# Coding: 3D Matrix for Integers - API

---

- `ctor()`, `ctor(width, length, height)`
- `set(x, y, z, value)`, `get(x, y, z)`, `print()`
- `set_width()`, `set_length()`, `set_height()`, `get_width()`,  
`get_length()`, `get_height()`
- `get_matrix(x)`, `get_matrix(y)`, `get_matrix(z)`
- `get_vector(x, y)`, `get_vector(y, z)`, `get_vector(x, z)`
- `clear()` - set all values to 0 (zero)
- `fill_with_value(value)` - set all values to a given value
- `num_zeros()`, `num_negatives()`, `num_positives()`;

# Coding: 3D Matrix for Integers - Hints

---

- Think about the design
  - array → matrix → 3D matrix → 4D matrix → ... → XD matrix
  - Design simple first, then continue to the next level
- No need to focus too much on performance yet
- Focus:
  - Passing arguments: const-references, references, ...
  - const functions
  - class design
    - Decomposition into functions
    - Function reusing
    - private/public

# Coding: 3D Matrix - Improvements

---

- `print()`
- `sort_vector(x, y)`
  - Use `std::sort()`
- change underlying matrix container - `std::deque`, `std::list`
  - the change to different container must be only few lines of change
    - Hint: use `using`
- change underlying matrix container - `std::array`
  - Use large enough array
    - ! Use constants
  - Report error in case of overflow

# Programming in C++ - lab 2

---

<https://fan1x.github.io/cpp21.html>  
[tomas.faltin@matfyz.cuni.cz](mailto:tomas.faltin@matfyz.cuni.cz)

# Recap

---


# Homework Example

---

# Class/Struct

---

- Put all related things (data, functions) together
  - Represents objects in OOP
  - almost everything should belong to a class
- No real difference except for default visibility, inheritance, ...
  - `class` – by default everything **private**
  - `struct` – by default everything **public**
- Internal things → **private**
  - **protected** if need access from a child
- Read-only functions → **const**
  - const-correctness
- Special methods (**constructor**, destructor, ...)



# Class Example

```
class calculator {  
    // by default everything is private  
    void sum();  
    void subtract();  
  
public:  
    calculator() { /* default ctor */ }  
    calculator(const std::string &str) () {  
        /* ctor */  
    }  
    void calc(const std::string &str);  
    void print_result() const;  
  
private:  
    void multiply();  
  
protected:  
    void init();  
  
private:  
};
```

can be used  
multiple  
times

semicolon  
at the end!

```
calculator c; // no need for new!  
c.calc("1+2-3");  
c.print_result();  
  
// calling non-default ctor  
calculator c2("1+2-3");  
c2.print_result();  
  
// creating a vector  
std::vector<calculator> calcs;
```

# Class vs. Struct

---

- Use class if the class has an invariant; use struct if the data members can vary independently

```
struct coordinate {  
    int x;  
    int y;  
    int z;  
  
    coordinate();  
    coordinate(int x);  
    coordinate(int x, int y);  
    coordinate(int x, int y, int z);  
  
    void set(int x, int y, int z);  
};
```

# Dynamic Array - std::vector<T>

---

- Beware of time complexity
- `vector<bool>` optimization

```
#include <vector>
int main() {
    std::vector<int> vi{1, 2, 3, 4, 5, 6}; // [1, 2, 3, 4, 5, 6]
    std::vector<float> vf(5, 0.0f); // [0.0, 0.0, 0.0, 0.0, 0.0]
    std::cout << vi[3] << " " << vf.at(3) << std::endl; // access the 4th! element
    std::cout << vi.size();
    vi[3] = 100; vi.at(6) = 600; // access the 4th and 7th element
    vf.push_back(100.0f); vf.emplace_back(200.0f); // insert at the end
    vf.emplace_back(200.0f); // create element at the end
    vf.insert(3, 300.0f); vf.emplace(3, 300.0f); // insert at the specific place
    vf.emplace(3, 300.0f); // create element at the specific place
    vi.pop_back(); // erase the last element
    vf.erase(2); // erase the 3rd element
    vi.clear(); // clear whole container
    vi.reserve(10); // reserve space(=memory) for 10 elements
    vi.resize(10); // actually create 10 elements using default ctor
}
```

# 3D Matrix for Integers - minimal API

---

- `ctor()`, `ctor(x, y, z)`
- `set(x, y, z, value)`, `get(x, y, z)`, `print()`
- `set_width()`, `set_length()`, `set_height()`, `get_width()`,  
`get_length()`, `get_height()`
- `get_matrix(x)`, `get_matrix(y)`, `get_matrix(z)`
- `get_vector(x, y)`, `get_vector(y, z)`, `get_vector(x, z)`
- `clear()` - set all values to 0 (zero)
- `fill_with_value(value)` - set all values to a given value
- `num_zeros()`, `num_negatives()`, `num_positives()`;

# 3D Matrix for Integers - Hints

---

- Think about the design
  - array → matrix → 3D matrix → 4D matrix → ... → XD matrix
  - Design simple first, then continue to the next level
- No need to focus too much on performance yet
- Focus:
  - Passing arguments: const-references, references, ...
  - const functions
  - class design
    - Decomposition into functions
    - Function reusing
    - private/public

# Programming in C++ - lab 1

---

<https://fan1x.github.io/cpp21.html>  
[tomas.faltin@matfyz.cuni.cz](mailto:tomas.faltin@matfyz.cuni.cz)

# Basic information

---

- Email: [tomas.faltin@matfyz.cuni.cz](mailto:tomas.faltin@matfyz.cuni.cz)
- Labs web: <https://fan1x.github.io/cpp22.html>
- Lecture web: <https://www.ksi.mff.cuni.cz/teaching/nprgo41-web/>
- Mattermost
  - Invite link in [SIS/Notice-board](#)
  - Channel: `nprgo41-cpp-faltin`
- Gitlab
  - <https://gitlab.mff.cuni.cz/>
  - <https://gitlab.mff.cuni.cz/teaching/nprgo41/2022-23/faltin>

# Communication is the key

---

- Don't be afraid to ask
- Be proactive
  - via email
  - on Mattermost (instant)
    - DM if related to you only
    - Into a channel if others can benefit from it
- If you struggle with something
- If you feel like you might miss a deadline


# Labs credit

---

- Submitted homeworks before Sunday midnight (Sunday 23:59)
  - to Gitlab
  - Even if not attending!
  - Won't be graded, for feedback only
- Two large homeworks in ReCodex (total 40 points)
  - Points are included in the final score from the course
  - Smaller HW – 15 points, ~November
  - Larger HW – 25 points, ~December
- Software project
  - Topic must be approved by 27/11/2022
  - POC: 18/12/2022
  - First submission: 02/04/2023
  - Final submission: 28/05/2023
  - **All the steps typically mean multiple iterations within multiple days. If you wait for the last minute, there is a chance you won't make it**

# Code Requirements - Consistency

- Consistency
  - Be consistent within the code
  - keep a single code style



Ministry Of Dev, PhD  
@UdellGames

Use whatever brace style you prefer.

But not this.

Don't do this.

Seek help instead of this.

```
public class Permuter
    private static void permute(int n, char[] a) {
        if (n == 0)
            System.out.println(String.valueOf(a));
        else
            for (int i = 0; i <= n; i++)
                permute(n-1, a)
                swap(a, n % 2 == 0 ? i : 0, n);
    }
    private static void swap(char[] a, int i, int j) {
        char saved = a[i];
        a[i] = a[j];
        a[j] = saved;
    }
}
```


# Code Requirements - Readability

- Code doesn't contain commented/dead parts
- Code should be readable on its own
- Comment complicated code




# Code Requirements - Safe, Modern

- Prefer using modern constructs
- Additional safety
- Maybe performance
- E.g., prefer `std::vector<int>` to `new int[]`



Me when I realized that I can't pass 2D arrays to functions in C/C++ as int a[][]:




"Pointers are a nuisance"

# Code Requirements - Working

---

- OFC, if the code is not working, all the above points are not that important
- they will help you with debugging at least ☺



# Why C++


---

"C makes it easy to shoot yourself in the foot. C++ makes it harder, but when you do, it blows away your whole leg."

-- Bjarne Stroustrup

"It was only supposed to be a joke, I never thought people would take the book seriously. Anyone with half a brain can see that object-oriented programming is counter-intuitive, illogical and inefficient."

-- Stroustrup C++ 'interview' (<https://www-users.cs.york.ac.uk/susan/joke/cpp.htm>)



# Working Environment

---

- Use anything you like ☺
- IDEs
  - Visual Studio
    - License for students at [https://portal.azure.com/...](https://portal.azure.com/)
  - VS Code
  - Clion
  - Code::Blocks
  - Eclipse
  - ...
- Compilers
  - MSVC, GCC, Clang+LLVM, ICC, ...

# C++ (interesting) links

---

- Reddit, Slack, ...
- <https://en.cppreference.com/w/>
- <http://www.cplusplus.com/>
- <http://isocpp.github.io/CppCoreGuidelines/CppCoreGuidelines>
- <https://www.youtube.com/user/CppCon>
- <https://isocpp.org/>
- <http://www.open-std.org/jtc1/sc22/wg21/docs/papers/>
- <https://godbolt.org/>
- ...

# Learning C++

---

- C++ in 100 seconds: <https://youtu.be/MNeX4EGtR5Y>
- C++ in 31h: [https://youtu.be/8jLOx1hD3\\_o](https://youtu.be/8jLOx1hD3_o)

# Hello World

---

```
#include <iostream>
#include <string>

int main() {
    std::string name;
    std::cin >> name;
    std::cout << "Greetings from " << name << std::endl;
    return 0;
}
```

# Hello World

```
#include <iostream>
#include <string>

int main() {
    std::string name;
    std::cin >> name;
    std::cout << "Greetings from " << name << std::endl;
    return 0;
}
```

Include the libraries which implements the used STL constructs (`string, cin, cout`)

The main entry point/function for all programs. The execution starts here

Declare a variable of type string

Read from standard input (keyboard)

Write to standard output (screen)

All the STL constructs live inside 'std' namespace

# Compilation

---

- `c++ --version`
  - `c++` is a compiler, here GCC
- `c++ hello_world.cpp -o hello_world`
  - Compile program into `hello\_world` executable (using default settings)
- `c++ -Wall -Wextra -Werror -O3 -std=c++2b hello_world.cpp -o hello_world`
  - `Wall`: Show all warnings
  - `Wextra`: Show additional extra warnings
  - `Werror`: Thread all warnings as errors
  - `O3`: level of optimizations
  - `std=c++2b`: Used C++ standard
- Or use IDE ☺

# More Complex Program

---

```
#include <iostream>
#include <string>
#include <vector>

using namespace std;

void pretty_print(const vector<string>& args) {
    // ... args[i]
}

int main(int argc, char** argv) {
    vector<string> args(argv, argv+argc);
    pretty_print(args);
    return 0;
}
```

# More Complex Program

```
#include <iostream>
#include <string>
#include <vector>

using namespace std;

void pretty_print(const vector<string>& args) {
    // ... args[i]
}

int main(int argc, char** argv) {
    vector<string> args(argv, argv+argc); // Wrap arguments
    pretty_print(args);
    return 0;
}
```

Include the whole  
std namespace

Passing the  
argument by  
(const) reference

Number of  
arguments

Arguments of the  
program on the  
command line

Transform  
“magically” the  
arguments into C++  
array of strings

# Functions And Parameters

---

```
int get_max(int v1, int v2) {
    return v1 > v2 ? v1 : v2;
}

int get_max1(const vector<int> &ints) {
    int max = std::numeric_limits<int>::min();
    for (int x : ints) {
        max = get_max(x, max);
    }
    return max;
}
```

```
bool get_max2(const vector<int> &ints, int &max) {
    max = std::numeric_limits<int>::min();
    for (int x : ints) {
        max = get_max(x, max);
    }
    return !ints.empty();
}

std::tuple<bool, int> get_max3(const vector<int> &ints) {
    int max = std::numeric_limits<int>::min();
    for (int x : ints) {
        max = get_max(x, max);
    }
    return { !ints.empty(), max };
}
```

# Functions And Parameters

---

- read-only input parameter
  - Most of the types (string, vector, ...) → use const-reference - **const &**
    - `int get_max(const vector<int> &ints)`
  - For small numeric types (int, float, double, ...) → use **direct parameter**
    - `int get_max(int v1, int v2)`
- output parameters
  - Single output parameter → use **return** value
    - `int get_max(const vector<int> &ints)`
  - Few output parameters → use **tuple/pair/structure**
    - `std::tuple<bool, int> get_max(const vector<int> &ints)`
  - Many output parameters → use reference - **&**
    - `bool get_max(const vector<int> &ints, int &max)`

# Homeworks

---

1. Hello World
2. A greeting program (use names from arguments)
  - `hello.exe Adam Eve` → `Hello to Adam and Eve`
  - What is inside args[0]?
3. Summation of numbers from arguments
  - `sum.exe 1 2 3 4 5` → `15`
  - `stoi(), stod(), stoX()`
    - Functions for transformation from string **to** <something>
4. A simple calculator (only for operations +-)
  - `calc.exe 1+2+3-4` → `2`
  - to Gitlab
  - The previous programs are not needed, they should give you a lead